

ETHNICITY AND HEALTH

A systematic review of empirical research on self-reported racism and health

Yin Paradies^{1,2}

Accepted 7 March 2006

This paper reviews 138 empirical quantitative population-based studies of self-reported racism and health. These studies show an association between self-reported racism and ill health for oppressed racial groups after adjustment for a range of confounders. The strongest and most consistent findings are for negative mental health outcomes and health-related behaviours, with weaker associations existing for positive mental health outcomes, self-assessed health status, and physical health outcomes. Most studies in this emerging field have been published in the past 5 years and have been limited by a dearth of cohort studies, a lack of psychometrically validated exposure instruments, poor conceptualization and definition of racism, conflation of racism with stress, and debate about the aetiologically relevant period for self-reported racism. Future research should examine the psychometric validity of racism instruments and include these instruments, along with objectively measured health outcomes, in existing large-scale survey vehicles as well as longitudinal studies and studies involving children. There is also a need to gain a better understanding of the perception, attribution, and reporting of racism, to investigate the pathways via which self-reported racism affects health, the interplay between mental and physical health outcomes, and exposure to intra-racial, internalized, and systemic racism. Ensuring the quality of studies in this field will allow future research to reveal the complex role that racism plays as a determinant of population health.

Keywords Race, ethnic groups, racism, discrimination, stress, review

In recent years, there has been an emerging interest in the epidemiological study of racism and health. The manifestations of racism vary considerably across time and place but in general ensue from societal systems that produce an unequal distribution of power (and hence resources) in societies based on the notion of 'race',¹ where race is a social rather than a biological construct related to the notion of essentialized innate phenotypical, ancestral, and/or cultural difference. This review considers only self-reported perceptions/experiences of racism (hereafter referred to as 'self-reported racism'). Owing to its pervasive nature in contemporary societies racism is frequently not perceptible to individuals or, if perceived, may not always be reported.² Hence, it should be clear that in focusing on self-reported racism this paper considers only a very specific subset of this multifarious phenomenon and does

not attempt a comprehensive assessment of the impact of racism on population health.

A handful of previous reviews have attempted to provide an overview of certain aspects of this emerging area of epidemiological research. The first article to consider the health impact of racism (along with sexism and social class) was published by Krieger *et al.*³ in 1993. This was followed, in 1999, by a review, also by Krieger, of 15 studies examining ethnic and/or racial discrimination and health⁴ and, in 2000, by a review of 13 studies examining racism and mental health for African Americans by Williams *et al.*⁵ There were also three reviews published in 2003, with Wyatt *et al.*⁶ summarizing 19 studies relating racism to cardiovascular disease for African Americans, Brondolo *et al.*⁷ discussing studies relating racism to blood pressure (six studies) and cardiovascular reactivity (11 studies), and Williams *et al.*⁸ reviewing 53 population-based empirical studies of ethnic and/or racial discrimination, which were published from 1998 onwards and related to various health outcomes.

Drawing in particular on the most recent review by Williams *et al.*,⁸ this paper updates and expands upon these earlier reviews by examining the key characteristics of epidemiological

¹ Centre for Health and Society, University of Melbourne, Australia.

² Menzies School of Health Research, Charles Darwin University, Australia.
Menzies School of Health Research, PO Box 41096, Casuarina, NT 0811, Australia. E-mail: yin.paradies@menzies.edu.au

studies of self-reported racism and health—where and when studies have been conducted, the race, age and gender of study populations, study designs, sample sizes, and data sources used. This review also aims to describe how self-reported racism is defined in the existing literature, how this exposure is measured in terms of method of administration, content and time frames of exposure, targets and perpetrators of racism, and settings in which racism is experienced as well as the variation in reporting of racism by various socio-demographic factors. The nature of associations found between self-reported racism and health is detailed for a range of health outcomes across various study and exposure characteristics along with identified effect modifiers and mediators of these associations. Possible future directions for research in this area are also presented.

Methods

A search of the PubMed, PsychINFO, and Sociological Abstracts databases was conducted using the terms: *racism*, *racial discrimination*, *race AND discrimination*, and *perceived discrimination* from the earliest records in these databases until the end of 2004. The inclusion criteria for this review required studies to: (i) be empirical; (ii) be quantitative; (iii) include a direct measure of self-reported or experienced racism as an exposure; (iv) include a direct measure of a health-related factor as an outcome; and (v) not be theses/treatises or conference proceedings (due to the difficulty of obtaining these documents). A sequential process of examining the title, abstract and main text of each article or book (chapter) was undertaken, with exclusion of documents occurring at each stage. The bibliographies of all articles meeting the inclusion criteria, as well as those of previous review articles, were also searched for further relevant studies, which were in turn acquired and checked against the inclusion criteria above. The study of racism in medical/health care is a fast-growing body of research in its own right⁹ and there is also existing research on the intersection of racism with other forms of oppressions¹⁰ [i.e. (hetero)sexism, classism, etc.]. However, reviewing these topics along with self-reported racism is beyond the scope of this paper and, hence, these issues are not addressed below.

Data pertaining to studies meeting the inclusion criteria were entered into a spreadsheet and analysed using basic descriptive statistics in Stata 8.0 for Windows (spreadsheet available upon request from the author). A formal meta-analysis was not conducted owing to both the heterogeneity of studies in terms of design, study populations, exposure and outcome measures and because only a small number of studies provided odds ratios (ORs) or similar effect sizes (see below), which could be weighted by study sample size into a combined estimate. Furthermore, publication bias was not assessed in this review.

Results

A total of 138 separate studies, with several studies published in the same paper, met the inclusion criteria for this review.^{11–146} Table 1 details the key characteristics of these studies [data on socioeconomic position (SEP) could not be included in Tables 1 and 2 owing to inconsistent stratification by and conceptualization/measurement of SEP in these 138 studies].^{147,148} Most of the 138 studies were published in the last 5 years (65%), used a cross-sectional study design (76%) with

convenience (i.e. non-representative) samples (59%) of between 100 and 1000 adults (59%) and were conducted in the US (86%) with African Americans (69%).

Several large surveys were utilized in a number of studies in this review, with studies utilizing the same dataset focusing on different exposures, outcomes, and/or sub-samples. The surveys utilized were the National Survey of Black Americans,^{21,24,26,40,74,75,131} Detroit Area Study,^{28,29,74,106} Fourth National Survey of Ethnic Minorities,^{20,102} General Social Survey,^{13,40,143} Mexican American Prevalences and Services Survey in California,^{50,77} San Francisco Muni Health and Safety,^{17,18} MIDUS,^{22,73} and CARDIA surveys.^{14,110}

Defining racism

Only a quarter of the studies (34 of the 138) in this review offered a definition of racism.^{13,19,20,23,24,29,37–40,43–45,49,50,53,62,64,65,69,74,77,88,99,105,108,112,119,125,131,134,139,143} Many of these definitions focused on the detrimental effects of racism (i.e. for non-White racial groups)^{13,23,24,37,38,43–45,50,53,62,64,77,108,112,125,139} with only a few also highlighting the privileges accrued through racism for Whites.^{19,39,40,65,88} Similarly, racism was generally attributed to an ideology of inferiority^{23,88,144} or superiority^{29,69,105,112} rather than both.⁴⁰ Notably, only about half of these definitions recognized systemic racism (i.e. racism occurring through societal organizations, institutions, laws, policies, practices, etc.) as well as interpersonal racism (i.e. racist interactions between people).^{13,19,20,23,24,40,43,50,64,69,74,77,88,105,112,125,139} Furthermore, several studies defined racism as differential treatment by race^{24,29,99,143} without specifying for which racial groups this treatment was positive or negative and, hence, in which instances racism differed from, for example, affirmative action.

Exposure measurement

A total of 152 different instruments/scales were used in the 133 studies in this review, which included a measure of self-reported racism (five experimental studies utilized racist stimuli instead of assessing self-reported racism).^{33,47,54,97,139} There was considerable variation in exposure measurement across these instruments, in terms of both content and length. Of these 152 measures, 111 were between 1 and 9 items in length (with 28 of these consisting of only a single item) and 48 were between 10 and 128 items in length. Self-reported racism was measured across a range of conceptual dimensions including experiences of discrimination (EOD) (i.e. racist behaviours/actions)^{20,39,68} such as racist attacks,^{16,102,146} harassment,³⁸ exclusion,^{38,61,67,86,103} life events (e.g. being fired),^{3,22,28,29,45,106,124} and everyday discrimination/daily hassles (e.g. being refused service),^{22,25,27–30,72,73,78,82,106,115,123} as well as racist affect (emotions)³⁹ and stereotypes/beliefs.^{13,39,40,86,149,150} With the exception of two instruments^{69,153} used in seven studies,^{64,68,69,80,88,112,140} self-reported racism in these studies was assessed without collecting information on the race of the perpetrator.

Racism was also conceptualized by a number of studies in this review as a form of stress.^{11,22,30,33,37,39,48,52,60,62,64,65,78,81,82,84,88,91,101,103,110,113,120,124,126,137,144,154} Self-reported stress associated with self-reported racism was assessed

Table 1 Characteristics of 138 empirical quantitative studies of self-reported racism and health

	No. of studies	% of total studies
Year of publication		
1980–84	1	1
1985–89	5	4
1990–94	7	5
1995–99	36	26
2000–04	89	65
Study design		
Cross-sectional	105	76
Cohort	16	12
Experimental	12	9
Case-control	5	4
Sampling procedure		
Representative/Probability	57	41
Convenience	81	59
Sample size		
$n < 100$	20	14
$100 \leq n < 200$	34	25
$200 \leq n < 1000$	47	34
$n \geq 1000$	37	27
Region of study		
US	118	86
Europe	12	9
Canada	3	2
Australia/NZ	2	1
Barbados	2	1
Dominica	1	1
Study populations		
Ethnic/racial group ^a		
African American	95	69
White	36	26
Asian	27	20
Latino/a	26	19
Immigrants/refugees	15	11
Indigenous	5	4
Age ^a		
Adults	126	91
Children/adolescents	21	15
College students	15	11
Elderly	2	1
Gender (in studies of adults)		
Men and women	97	70
Men only	8	6
Women only	33	24
Exposure instruments utilized^{b,c}		
Experiences of discrimination ^{14,15}	13	9
Everyday discrimination scale ^{29,149}	12	9
Schedule of racist events ⁴⁵	9	7

Table 1 Continued

	No. of studies	% of total studies
Nadanolitization scale ¹⁵²	7	5
Racism and life experience scales ^{155,179}	7	5
Perceived racism scale ¹⁵³	6	4
Major discrimination scale ²⁹	4	3
Perceived discrimination scale ⁵⁰	3	2
Index of race-related stress ^{154,180}	3	2
Exposure administration^b		
Self-administered	68	49
Interviewer-administered	65	47
Exposure time frame^{a,b}		
None	76	55
Past year or less	30	22
>1 year \leq 5 years	5	4
Ever/lifetime	32	23
Length of exposure instruments utilized^a		
\leq 9 items	111	80
\geq 10 items	48	33

Percentages may not add to 100% due to rounding.

^a Categories are not mutually exclusive in relation to the unit of analysis (i.e. studies).

^b Categories in this section are not complete.

^c Includes only those instruments used in two or more studies.

in 14 studies included in this review. Of the 10 studies measuring self-reported racism and racism-related stress as two separate constructs, three failed to differentiate between these measures in their analysis.^{55,86,107} The remaining seven studies^{36,45,91,93,98,110} allow a comparison between self-reported racism and racism-related stress (i.e. the experience of racism as a form of stress) in terms of associations with health outcomes as detailed below.

Generally, the studies in this review assessed self-reported experiences of inter-personal racism and/or systemic racism, without explicitly indicating which of these levels of racism were being examined. Only a small number of studies explicitly assessed systemic racism,^{19,42,66,71,74,106,126,128,137,138,153,155,156} internalized racism (i.e. the incorporation of racist attitudes, beliefs, or ideologies into an individual's worldview),^{13,111,118,127,132–134,136,151,152} or reactions and responses to racism.^{14,15,17,61,64,83} This review included 15 studies that specifically assessed self-reported racism for a respondent's entire ethnic/racial group.^{13,26,48,71,74,88,90,101,102,105,111,122,131,132,137}

A number of exposure instruments examined EOD, which were not specifically attributed to race but, rather, measured generic discrimination without attributing to, or differentiating between, discrimination due to race, gender, sexuality, etc. during measurement and/or analysis. Instruments such as the everyday discrimination scale (EDS) were used as a non-specific measure of discrimination^{8,29,30,73,106,115} as was the Williams *et al.* 3-item measure of major discrimination^{28,29,106} along with several other measures.^{31,57,89}

Of the 133 studies that included a measure of self-reported racism, 65 studies used an interviewer-administered measure

with a further 68 studies using self administration. There were also six studies that assessed reported racism for family and friends of respondents.^{24,26,48,50,61,79} Exposure to racism was assessed across a range of settings including at work (reported as assessed in 52 studies), from goods/service providers (38 studies), in courts of law/from police (33), when seeking employment (31), in education (30), housing (22), health care (21), in public (16), from neighbours (12), friends (10), government agencies (7), and at home (4).

About a quarter (34) of the 138 studies used versions of three instruments as exposure measures. These were the EDS¹⁴⁹ used in 12 studies,^{22,25,27–30,73,78,82,106,115,123} a set of items developed by Krieger³³ [now known, in a slightly varied form as the EOD and referred to below as such] used in 13 studies,^{14,15,17,23,51,53,62,84,109,110,112,114,116} and the Schedule of Racist Events (SREs)⁴⁵ used in nine studies.^{36,44,91,93,98,104,107,120} These instruments have shown good internal reliability within a single study for both the EOD¹⁴ and the SRE,¹²⁰ and in five studies for the EDS.^{27,30,78,82,123} Furthermore, the EDS has shown good construct validity in a sample of African American adolescents,¹⁵⁷ the EOD has been psychometrically validated in a sample of African American, Latino, and White participants, showing high scale reliability and validity including test–retest reliability,² and the SRE has been found to have good construct and concurrent validity.⁴⁵ Other exposure measures that have been psychometrically validated include the Racism and Life Experiences Scale,^{155,157} the Perceived Racism Scale,¹⁵⁸ and the Perceived Ethnic Discrimination Questionnaire.^{134,159}

By their nature, 20 of the studies in this review could not include a time frame associated with exposure measurement as these studies assessed stereotypes/beliefs or used experimental interventions.^{3,33,40,41,43,47,54,90,94,95,97,101,117,126,131–133,135,137,139} However, of the remaining 118 studies in which it was possible to specify a time frame, this occurred in only 42 studies. Of these 42 studies, 10 measured both past year and lifetime,^{36,44,45,91,93,98,109,111,146} or past 6 month,¹⁴⁵ self-reported racism. A further nine studies measured self-reported racism over the past year^{14,20,49,57,72,78,100,102,107} and 20 studies measured self-reported racism over a lifetime.^{14,15,17–19,22,25,29,34,52,56,61,71,80,81,99,105,106,110,113,123} Self-reported racism was assessed over the past 3,^{51,53,62} 2,³⁸ and 5 years⁸⁹ as well as over the previous 6,³⁷ 3,^{55,134} and 1 month,^{24,26,40,70,75} during childhood,^{12,48} adulthood,^{12,48} since arriving in a particular country,^{35,65} or during a specific pregnancy.^{76,109,114}

Socio-demographic variations in self-reported racism

The studies included in this review do not provide representative data on the prevalence of racism and, as such, data on this topic are not presented here. However, at present little is known about how self-reported racism varies by socio-demographic characteristics. Hence, this section presents available information from this review on such variation. The most consistent finding from the studies included in this review is that the prevalence of self-reported racism varies strongly and consistently by race, with non-White respondents experiencing more racism than White respondents.^{11,14,15,22,23,27–30,37,51,66,82,89,106,108,110,114,115,}

^{123,129,134,143} Increased reporting of racism was generally associated with higher SEP^{13,17–19,23,28,29,48} and also, in a few studies, with lower SEP,^{28,49,57} with a number of studies finding no variation in self-reported racism by income^{37,49,51,91,115} or education.^{37,51,91,115} Many studies have found that self-reported racism varies by gender with males reported a higher prevalence.^{16,34,35,44,52,92,103,115,160} In some studies this higher reporting by males occurred only in specific settings such as at work,¹⁴ getting a job,⁵¹ in education,²² from the police,^{22,51,87} legal system,^{87,160} in money and finances,^{22,160} in seeking medical care,¹⁶⁰ or being threatened or harassed.^{134,160} However, a few studies have found that females report more racist experiences than males,^{57,104,134,144} which in two studies occurred in the specific setting of service provision.^{22,60} Several studies have found no variation in self-reported racism by sex/gender.^{18,37,130}

The prevalence of self-reported racism was found to vary inconsistently with age, with some studies in this review finding more self-reported racism for older people,^{68,83,112} other studies finding the opposite,^{13,15,49,51} and a few studies finding no variation in self-reported racism with age.^{17,91,160} One study found that reports of discrimination (not specifically attributed to race) increased slightly with age for African Americans but decreased with age for European Americans.¹¹⁵

A high level of racial centrality (i.e. the extent to which a person defines himself/herself with regard to race) has also been associated with increased reporting of racism,⁷² but, as with the socio-demographic variations in self-reported racism presented above, this association is complex and, at present, poorly understood. In one study, higher levels of acculturation were associated with increased reporting of racism for Latino/a respondents born or educated in Mexico, but acculturation was also associated with decreased reporting of racism for Latino/a respondents born or educated in the US.⁷⁷ Self-reported racism was also found to increase with years spent in the US and decreased fluency in English among recent East Asian migrants⁹⁰ and, in one study, reported racism tended to increase for African Americans along with an increasing belief that other groups hold negative attitudes towards them.⁷²

Associations between self-reported racism and health-related outcomes

Table 2 shows the associations found between self-reported racism and health-related outcomes in the 138 studies included in this review. These outcomes, grouped into broad categories, are shown alongside information on the extent to which associations between these outcomes and self-reported racism were statistically significant and in which direction. Most of these studies adjusted for a range of confounders, which are not shown in Table 2. Confounders adjusted for in three or more studies were socioeconomic and demographic factors such as age (adjusted for in 64 studies), education (55 studies), sex/gender (50), income/poverty (48), marital/partner status (25), racial/ethnic group (23), and employment/occupation (21). Health risk factors adjusted for in three or more studies were stress (17), body mass index (12), smoking (10), social support (10), self-esteem (9), nativity (7), and acculturation (6).

Overall, 54% of health-related outcomes examined were significantly associated with self-reported racism (either

Table 2 Findings of 138 empirical quantitative studies of self-reported racism and health ($P < 0.05$ unless otherwise indicated)

	Positive association ^a	Negative association ^b	No association ^c	Total
Negative mental health outcomes	148(8) ^d (72%)	1 (0%)	57 (28%)	206 (8) ^d
Psychological/psychiatric/emotional distress	40(3)	1	21	62 (3)
Depression/depressive symptoms	39(2)	0	13	52 (2)
Obsessive-compulsive symptoms	5	0	0	5
Somatization	5	0	0	5
Anxiety	15	0	7	22
Stress	13	0	6	19
Negative effect	9	0	5	14
Miscellaneous outcomes (examined in <3 studies)	22(3)	0	5	27 (3)
Positive mental health outcomes	9 (8%)	52 (7) ^d (48%)	47 (44%)	108 (7) ^d
Life/personal/patient/work satisfaction/quality	1	27 (6)	16	44 (6)
Self-esteem	4	9	13	26
General mental health	4	10(1)	11	25 (1)
Miscellaneous outcomes (examined in <3 studies)	0	6	7	13
Negative physical health outcomes	61 (2) ^d (36%)	2 (1%)	108 (63%)	171 (2) ^d
Increased blood pressure/hypertension	19 (1)	1	59	79 (1)
Infant low birth weight/decreased gestational age	15 (1)	0	12	27 (1)
Heart disease	0	0	12	12
Increased heart rate	5	1	4	10
Diabetes	1	0	6	7
Increased body mass index	1	0	3	4
Miscellaneous outcomes (examined in <3 studies)	20	0	12	32
SF-12/36 positive physical health	1	0	6	7
Health-related behaviours	21 (1) (62%)	0 (0%)	13 (38%)	34 (1)
Cigarette smoking	4	0	0	4
Alcohol (mis)use	8	0	6	14
Substance (mis)use	5	0	1	6
Miscellaneous outcomes (examined in <3 studies)	4(1)	0	6	10 (1)
Other outcomes	15 (3) (17%)	20 (2) (23%)	52 (60%)	87 (5)
Positive health assessed via the SF-12/36	1	2(1)	2	5(1)
Positive self-assessed health status	3	17	20	40
Miscellaneous outcomes (examined in <3 studies)	11(3)	1(1)	30	42(4)
All outcomes	255 (14) (42%)	75 (9) (12%)	283 (46%)	613 (23)

Many articles examined multiple outcomes and, hence, the number of associations (613) is greater than the number of articles (138). Percentages may not add to 100% because of rounding.

^a Increased exposure associated with higher levels of the health-related outcome.

^b Increased exposure associated with lower levels of the health-related outcome.

^c Exposure unrelated to the health-related outcome.

^d The figure in brackets indicates the subset of total associations in this cell that are significant at the $0.05 < P < 0.10$ level rather than at the $P < 0.05$ level.

positively or negatively). With 314 of the 613 health outcomes examined, and 62 of the 138 studies in this review relating to mental health, these outcomes were the most commonly studied. The most consistent association between self-reported racism and health was found for negative mental health outcomes, for which 72% of examined outcomes were significantly associated with self-reported racism, all in the expected direction (i.e. more self-reported racism associated with worse mental health outcomes). Although examined in far fewer studies, 62% of health-related behaviours were also significantly associated with racism (almost all in the

expected direction). Only 48 and 36% of examined positive mental health outcomes and negative physical health outcomes, respectively, were significantly associated with self-reported racism with 8 and 1% of these associations, respectively, being in the opposite direction to the expected (i.e. more self-reported racism associated with better health outcomes).

There were 10 studies reporting the percentage of variance explained by self-reported racism.^{32,39,52,64,68,72,81,82,136} The variance explained ranged from 4^{32,68} to 42%¹³⁶ with a median and mode of 18%. A total of 43 statistically significant

ORs were also reported across 21 studies (there were also five relative risks reported from three studies^{15,84,99} and two ORs of <1.0 reported for positive health outcomes,^{26,124} which are not considered here). Of these ORs, 18 fell between 1.00 and 1.9, 20 between 2.0 and 2.8, and 5 between 3.0 and 3.5, with this range of ORs due, in part, to the sample sizes of the underlying studies. A handful of studies found various non-linear associations between self-reported racism and ill health,^{14,15,17,69} while twice as many studies found a linear dose-response association.^{13,57,67,69,78,109,110,116}

This review included 26 studies in which health outcomes including blood pressure,^{14,27,47,54,58,64,68,80,83,87,93,112,127,139,142} birth weight,^{76,84,96,109,110,114,116} BMI/obesity,^{43,117,135} and mortality²⁶ were objectively measured by physicians/researchers rather than self-reported by participants. Of these objectively measured negative physical health outcomes, 44% were significantly associated with self-reported racism compared with 36% of all negative physical health outcomes included in this review (which included these objectively measured outcomes along with self-reported outcomes). Such a discrepancy may be due to confounding between exposure and outcome measures, which are both self-reported; an effect that has been noted in the broader stress literature.¹⁶¹

As discussed above, there were seven studies examining health outcomes in relation to both racism and racism-related stress. Both racism and racism-related stress had similar associations with health-related outcomes in three of these studies.^{36,45,98} In the remaining four studies, racism-related stress, but not racism itself, was associated with increased systolic blood pressure⁶⁹; psychological distress⁹¹; somatization, depression, anxiety, psychoticism⁹³; and smoking.⁹⁸

Associations between study/exposure characteristics and health-related outcomes

The statistical significance (at the $P < 0.05$ level) of associations between self-reported racism and health-related outcomes also differed by a number of study and exposure characteristics as shown in Table 3. The highest proportion of significant associations occurred in studies published before the year 2000, measured self-reported racism over the past year/using no specified time frame, and used an exposure measure of 10 items or more in length or the SRE. Cross-tabulations of year of publication by other variables in Table 3 (analysis not shown) did not reveal any consistent patterns that would explain this finding.

As shown in Table 3, studies with exposure instruments of 10 or more items in length had somewhat more significant associations (72%) than studies with exposure instruments of <10 items in length (50%), despite a range of health outcomes (both mental and physical) measured by instruments of these differing lengths. Less than half of the health outcomes examined using the EDS (45%) and the EOD (30%) showed significant associations whereas 86% of health outcomes examined using the SRE were significant. This strong finding for the SRE occurred despite a range of study populations and health outcomes examined in the studies utilizing this instrument (results not shown).

Of the studies measuring racism over an explicit time frame of 12 months or less, 57% of examined associations were

significant whereas the corresponding figure was only 49% for studies measuring self-reported racism over a lifetime. This difference occurred despite the fact that these two categories were not mutually exclusive with 10 studies measuring self-reported racism over the past 12 months as well as over a lifetime.^{36,37,44,45,91,93,98,109,111,120} Of these 10 studies, five studies measured, analysed and reported on these two different exposure time frames for the same study sample.^{45,91,93,98,109} These five studies found that both exposure time frames were associated with markers of psychological distress,^{45,93} past year but not lifetime self-reported racism was associated with health outcomes such as very low birth weight¹⁰⁹ and psychological distress,^{91,93} and lifetime but not past year self-reported racism was associated with smoking.⁹⁸

A number of studies specifically compared associations between self-reported racism and health for various ethnic/racial groups. Several of these studies found that self-reported racism was related to ill-health for African Americans and Latino/a but not Whites,^{11,13,14,30,82,114,143} while, in other studies, similar associations were found between self-reported racism and health outcomes for Whites and non-Whites,^{33,73,114,129,143} with one study finding an association between self-reported racism and psychological distress for Whites but not African Americans.⁸⁹ Results from all the studies reviewed here, as shown in Table 3, suggest that the association between self-reported racism and health-related outcomes for studies that included White participants is comparable with the findings of studies involving other ethnic/racial groups.

Effect modification of the association between self-reported racism and health-related outcomes

The associations between self-reported racism and health-related outcomes examined in this review were modified by a number of psychosocial factors, which either intensified or attenuated the association between self-reported racism and health. Having a strong sense of racial/ethnic identity or concept,^{70,72,92} participation in traditional activities,⁶⁷ spirituality,⁹³ religious support seeking/instrumental social support,⁸⁵ and having personality traits such as hardiness⁴⁸ were found to attenuate the adverse effects of self-reported racism on depressive symptoms,^{67,70,72} psychological distress,^{48,92,93} and self-assessed health status.⁸⁵ Other research suggests that racial socialization (i.e. explicit discussion of race/racism) imparted by parents or caregivers, but not personal beliefs about racial socialization, may attenuate the detrimental effects of self-reported racism on mental health.⁴⁴ Self-esteem,⁴⁴ stressful events,¹⁰¹ and substance misuse⁸¹ have all been noted as effect modifiers, which intensify the detrimental effect of self-reported racism on mental health,⁴⁴ life satisfaction,¹⁰¹ and anxiety/depression.⁸¹

A range of socio-demographic factors has also been found to act as effect modifiers of the association between self-reported racism and health. One study found that the ill effects of self-reported racism on psychological health were intensified for women compared with men and attenuated for Mexican Americans compared with African Americans or Whites.⁷³ In another study, self-reported systemic racism in the workplace increased psychological distress to a greater extent among

Table 3 Significance of associations examined in 138 empirical quantitative studies of self-reported racism and health ($P < 0.05$)

	No. of significant associations	Total no. of associations examined	% of associations which were significant
Year of publication			
Before 2000	114	197	58
2000–04	216	416	52
Study design			
Cross-sectional	242	456	53
Cohort	41	77	53
Experimental	39	68	57
Case-control	8	12	67
Sampling procedure			
Representative/probability	155	283	55
Convenience	175	330	53
Sample size			
$n < 100$	50	100	50
$100 \leq n < 200$	76	132	58
$200 \leq n < 1000$	103	203	51
$n \geq 1000$	101	178	57
Region of study			
US	274	507	54
Outside the US	56	106	53
Study populations			
Ethnic/racial group ^{a,b}			
African American	218	419	52
White	71	132	54
Asian	76	137	55
Latino/a	62	111	56
Immigrants/refugees	25	40	63
Age ^{a,b}			
Adults	303	570	53
Children/adolescents	69	99	70
College students	53	79	67
Gender (in studies of adults)			
Men and women	243	463	52
Men only	15	28	54
Women only	72	122	59
Exposure instruments utilized^b			
Everyday discrimination scale ^{29,149}	33	74	45
Experiences of discrimination ^{14,15}	17	56	30
Schedule of racist events ⁴⁵	49	56	88
Exposure administration^b			
Self-administered	154	293	53
Interviewer-administered	154	294	52

Table 3 Continued

	No. of significant associations	Total no. of associations examined	% of associations which were significant
Exposure time frame^{a,b}			
None	154	258	60
Past year or less	113	198	57
>1 year \leq 5 years	7	21	33
Ever/lifetime	100	205	49
Length of exposure instruments utilized^a			
\leq 9 items	237	470	50
\geq 10 items	139	192	72

Percentages may not add up to 100% because of rounding.

^a Categories in this section are not mutually exclusive.

^b Categories in this section are not complete.

African Americans of higher SEP compared with those of lower SEP.⁷⁴ Another study found that the deleterious effect of mother-reported racism on infant birth weight was exacerbated for mothers aged 20–29, with over 12 years of education, or income in the second lowest bracket,¹⁰⁹ and other research has noted that self-reported racism has an intensified association with depression for respondents who were native to the US, had higher levels of acculturation, or were female.⁷⁷

Coping responses have also received some attention as effect modifiers of the association between self-reported racism and health in the studies reviewed here. Active/expressive responses to racism (including seeking social support), but not passive/internalizing responses, have been found to attenuate the association of self-reported racism with depression.⁶¹ There is also evidence more generally of the beneficial effect of active rather than passive coping on health outcomes,^{14,15,69,83,111,114} where these factors have been assessed as independent variables in their own right rather than as effect modifiers. However, there is also evidence that seeking social support may not be protective among those who lack sufficient social resources^{61,65} and the effectiveness of coping strategies more generally are likely to be very context dependent.¹⁶² Another potential effect modifier is the phenomenon of John Henryism (the tendency to work extremely hard to disprove stereotypes of laziness and inability),⁵⁸ which has been found to reduce blood pressure reactivity in African American women exposed to low levels of acute racism.¹⁴² Emotion-focused (as opposed to problem-focused) coping has also been found to reduce blood pressure reactivity during an acute speaking task about racist experiences.¹⁶³ More general research, which does not examine effect modification, has suggested that the passive response of self-blame and the active response of John Henryism may both be detrimental in the context of chronic racism,⁶⁴ while emphasizing the positive (a passive response) and trying to change the chronic experience of racism itself (an active response) may be protective.⁶⁴ Respondents in the studies reviewed here appear to be 2–3 times more likely to use active coping responses such as talking with others and doing something about racism rather than passive coping responses such as keeping quiet, accepting or ignoring racism.^{14,15,17,61,64,83}

Mediation of the association between self-reported racism and health-related outcomes

A number of mediators (i.e. intervening variables on the causal pathway) between self-reported racism and health have also been identified. Several studies found that the association between self-reported racism and health is completely or partially mediated by stress.^{29,50,72,78,123} Self-esteem was also found to mediate between self-reported racism and blood pressure,¹²⁷ psychological distress,¹² and depression/anxiety for male but not female adolescents.¹⁰³ The associations between self-reported racism and substance use, self-assessed health, alcohol abuse, and impaired fasting glucose have also been found to be mediated by psychological distress,¹⁰⁴ depression,⁵⁰ historical loss,¹¹⁸ and waist circumference,¹³⁵ respectively. Self-reported racism was itself found to be a mediator of the association between healthy food beliefs and healthy dietary behaviour,¹¹³ between financial stress and well being,³⁹ and between religious orientation and alcohol consumption.^{94,95}

Discussion

This review suggests that there is an association between self-reported racism and ill health after adjustment for a range of commonly measured confounders. The most consistent findings in this body of research to date have been for negative mental health outcomes and health-related behaviours and evidence from longitudinal studies also suggests that self-reported racism precedes ill health rather than vice versa. This review also indicates continuing debate in this emerging field of research about the aetiology of self-reported racism and health in terms of both relevant time periods and pathways/mechanisms of effect, especially in relation to the relatively stronger association between self-reported racism and mental health outcomes as compared with physical health outcomes, and the relationship between stress and self-reported racism. These issues are discussed below along with current limitations of this nascent research field and possible directions for future research. It should be noted that considerable research has been conducted into factors influencing the perception, attribution, and reporting of racism^{4,5,7,10,164–171} and, although vital to the study of self-reported racism and health, an overview of this research is beyond the scope of this paper.

Although it is clear that the aetiologically relevant time period for self-reported racism varies markedly by the health outcome in question, there is nonetheless debate on the appropriateness of specifying time frames in general for measuring self-reported racism. Some have argued that respondents do not assess or report racism in accordance with specified time frames and that, given the long-lasting nature of racist experiences, an unspecified time frame is the most appropriate.¹⁵⁴ However, it is unclear whether respondents report recent and/or highly salient/traumatic experiences of racism when responding to questions without a specified time frame. Also, the inclusion of an explicit time frame on surveys in general,¹⁷² as well as those assessing racism¹⁶⁵ is necessary to estimate the rate of exposure and to avoid confounding time-series analyses.¹⁶⁵ The results from this review suggest that studies which either leave exposure time frames unspecified or utilize a time frame equal to a year or

less are associated with the highest proportion of statistically significant associations and may tap into the same set of recent experiences. It may be that experiences of racism in the past year are more aetiologically relevant to the health outcomes assessed in this review or to health outcomes in general. It is also possible that a shorter time frame of exposure measurement ameliorates the effects of recall bias and/or maximizes the variability of self-reported racism given that lifetime prevalence of this exposure is very high (60–84%).⁷ By measuring, and comparing with various health outcomes, self-reported racism over different time frames within the same study, future research will be able to further our understanding of the aetiologically relevant time period of exposure for this health risk condition.

There are a number of possible explanations for the finding that self-reported racism is more strongly associated with mental rather than physical health outcomes. As noted by others,¹⁷³ it is possible that the association between racism and mental health is exaggerated or spurious owing to factors in the self-reporting of both exposure and outcome. This confounding has been found in relation to stress¹⁷⁴ and, as detailed above in relation to objectively measured vs self-reported health outcomes, may be at play in the studies reviewed here. If not caused by measurement artifice, it is possible that the relatively weaker association between racism and physical health occurs because racism has a lagged effect on physical health⁸⁹ mediated by negative mental health outcomes. However, none of the studies in this review reported on interactions between mental and physical health outcomes in relation to self-reported racism and future research on such putative interactions and possible lagged effects is required.

The relatively stronger association between self-reported racism and mental health outcomes also raises questions about the mechanisms by which racism affects health.

It may be that either direct psychophysiological effects on the brain or indirect neurophysiological changes wrought through other body systems (or a combination of both) mediate the association between self-reported racism and poor mental health outcomes. Studies that employ pharmacological blocks as well as brain imaging techniques should shed light on the psychophysiology of racism.¹⁷⁵ Researchers in the field of stress are now examining biomarkers specific to body systems (i.e. cardiovascular, neuroendocrine, and immune)¹⁷⁶ with evidence emerging that specific stressors differentially affect various physiological systems.¹⁷⁸ Similar research on racism would add to our currently scarce knowledge of the biological processes through which this exposure affects health.⁸

Research on self-reported racism is also hampered by debate about the relationship between racism and stress. Most studies reviewed here have conceptualized racism as a construct separate from stress. As shown in Table 2, of the 19 associations between self-reported racism and stress as a health outcome examined in this review, 13 were found to be significant positive associations. As detailed above, there is also evidence that the association between self-reported racism and health can be both mediated and moderated by stress and that the association between stress and health can be mediated by self-reported racism. At the same time, several studies have found that stress and self-reported racism are both independently related to health. It has been suggested that it is

not appropriate to weight the stressfulness of racist experiences, as this approach confounds exposure measurement with reactions to exposure⁸ and may not add to the predictive power of exposure instruments.¹⁷⁸ However, findings from studies examining racism-related stress, as presented above, indicate that the constructs of racism and racism-related stress may be distinct. Unfortunately, there is also considerable debate in the stress literature more broadly about how to characterize stress as an epidemiological exposure,¹⁷⁸ and further conceptual and empirical work will be necessary to clarify the association between self-reported racism and stress.

Other limitations in this emerging field of research include the reporting of effect sizes in relatively few studies, a reliance on non-representative sampling, cross-sectional studies involving adults, and a lack of psychometric validation of commonly used exposure instruments. Although one cross-sectional study has measured retrospective exposure to racism in childhood¹² and another found an association between parental denial of racism and child mental health status,¹¹¹ only 12 and 15% of studies have used longitudinal designs or involved children, respectively. More consistent reporting of effect sizes across different levels of exposure will allow meta-analyses of the association between self-reported racism and health. As detailed above, only a handful of studies have undertaken psychometric validation of the commonly used exposure instruments and further validation and comparison of these instruments is warranted. Furthermore, only 19% of the studies reviewed here have used data from existing regular omnibus surveys and only 19% of studies have utilized objectively reported, rather than self-reported, health outcomes. Inclusion of self-reported racism measures in existing survey vehicles, which collect data on objectively measured health outcomes, should be sought by researchers.

One topic that has received little attention in the literature to date is intra-racial racism. This form of racism occurs when an individual is discriminated against because of their race by a member of their own ethnic/racial group, as opposed to inter-racial racism where discrimination is also based on the notion of race but where the perpetrator and target of racism are from different racial groups. There is evidence to suggest that members of oppressed racial groups are more likely to consider negative behaviours from members of their own racial group to be discriminatory compared with similar behaviours from members of other racial groups.¹⁶⁹ One recent study found that 28% of African Americans and 15% of Latinos

reported intra-racial racism as the most prevalent form of racism they experienced,¹⁵⁹ and in another study 15% of 'problematic life experiences' were attributed to intra-racial racism.¹⁶⁰ However, only a single study included in this review specifically examined experiences of intra-racial racism.⁶⁹ This study found that intra-racial racism-related stress was associated with greater increases in blood pressure in comparison with inter-racial racism-related stress.⁶⁹ Clearly, further research on intra-racial racism and its association with health outcomes, is required. Similarly, a better understanding of vicarious racism (racism experienced by family or friends), systemic racism, and setting-specific racism (e.g. racism in the workplace, home, etc.) is needed to advance the study of self-reported racism and health.

Further research is also needed to elucidate the complex processes by which socio-demographic, psychosocial, and coping factors modify the association between self-reported racism and health. Furthermore, although many studies in this review examined White as well as non-White study populations, most of these studies statistically adjusted for race rather than undertaking stratified analyses. Such stratification will be required to clarify the differing associations between self-reported racism and health for dominant and minority racial group members.

Epidemiological research on the association between self-reported racism and health has only recently emerged as a body of research and it is clear that further investigation of this widespread and apparently damaging health risk condition is warranted. Rigorous methodological approaches and conceptual clarity will be needed to reveal how self-reported racism functions as a determinant of population health.

Acknowledgements

I am grateful to Dr Emma Kowal, A/Prof Joan Cunningham, two anonymous reviewers, and the editors of this journal for valuable feedback on drafts of this paper. The author is funded by an Australian National Health and Medical Research Council (NHMRC) Training Scholarship for Indigenous Health Research (#193321) and a NHMRC Population Health Capacity-Building Grant (#236235) as well as a Cooperative Research Centre for Aboriginal Health scholarship. The Aboriginal and Torres Strait Islander Commission and Australian-American Fulbright Commission also supported the author during work on this article.

KEY MESSAGES

- A relationship between self-reported racism and ill-health after adjustment for a range of confounders is evident from the 138 studies reviewed here.
- The strongest and most consistent association is between racism and poor mental health outcomes.
- This emerging field of study is limited by a dearth of cohort studies, few psychometrically validated instruments, infrequent use of objectively measured health outcomes and poor conceptualization of racism.
- As well as addressing these limitations, future research could also investigate the pathways via which racism affects health, the interplay between mental and physical health and exposure to intra-racial, internalized, and systemic racism.

References

- ¹ Paradies Y. Defining, conceptualising and characterising racism in health research. *Critical Public Health* (under review).
- ² Krieger N, Smith K, Naishadham D, Hartman C, Barbeau EM. Experiences of discrimination: validity and reliability of a self-report measure for population health research on racism and health. *Soc Sci Med* 2005;**61**:1576–96.
- ³ Krieger N, Rowley D, Hermann AA, Avery B, Phillips MT. Racism, sexism and social class: implications for studies of health, disease, and well-being. *Am J Prev Med* 1993;**9**:82–122.
- ⁴ Krieger N. Embodying inequality: a review of concepts, measures, and methods for studying health consequences of discrimination. *Int J Health Serv* 1999;**29**:295–352.
- ⁵ Williams DR, Williams-Morris R. Racism and mental health: the African American experience. *Soc Psychiatry Psychiatr Epidemiol* 2000;**5**:243–68.
- ⁶ Wyatt SB, William DR, Calvin R, Henderson FC, Walker ER, Winters K. Racism and cardiovascular disease in African Americans. *Am J Med Sci* 2003;**325**:315–31.
- ⁷ Brondolo E, Rieppi R, Kelly KP, Gerin W. Perceived racism and blood pressure: a review of the literature and conceptual and methodological critique. *Ann Behav Med* 2003;**25**:55–65.
- ⁸ Williams DR, Neighbors HW, Jackson JS. Racial/ethnic discrimination and health: findings from community studies. *Am J Public Health* 2003;**93**:200–08.
- ⁹ Smedley BD, Stith AY, Nelson AR. *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care. Report of the Committee on Understanding Racial and Ethnic Disparities in Health Care.* Washington, D.C.: National Academy Press, 2002.
- ¹⁰ Schnitker J, McLeod JD. The social psychology of health disparities. *Annu Rev Sociol* 2005;**31**:75–103.
- ¹¹ MacCarthy B, Craissati J. Ethnic differences in response to adversity. A community sample of Bangladeshi and their indigenous neighbours. *Soc Psychiatry Psychiatr Epidemiol* 1989;**24**:196–201.
- ¹² Diaz RM, Ayala G, Bein E, Henne J, Marin BV. The impact of homophobia, poverty, and racism on the mental health of gay and bisexual Latino men; findings from 3 US cities. *Am J Public Health* 2001;**91**:927–32.
- ¹³ Kennedy BP, Kawachi I, Lochner K, Jones CP, Prothrow-Stith D. (Dis) respect and black mortality. *Ethn Dis* 1997;**7**:207–14.
- ¹⁴ Krieger N, Sidney S. Racial discrimination and blood pressure: the CARDIA Study of young black and white adults. *Am J Public Health* 1996;**86**:1370–78.
- ¹⁵ Krieger N. Racial and gender discrimination: risk factors for high blood pressure? *Soc Sci Med* 1990;**30**:1273–81.
- ¹⁶ Mak AS, Nesdale D. Migrant distress: the role of perceived racial discrimination and coping resources. *J Appl Soc Psychol* 2001;**31**:2632–47.
- ¹⁷ Yen IH, Ragland DR, Greiner BA, Fisher JM. Racial discrimination and alcohol-related behavior in urban transit operators: findings from the San Francisco Muni Health and Safety Study. *Public Health Rep* 1999;**114**:448–58.
- ¹⁸ Yen IH, Ragland DR, Greiner BA, Fisher JM. Workplace discrimination and alcohol consumption: findings from the San Francisco Muni Health and Safety Study. *Ethn Dis* 1999;**9**:70–80.
- ¹⁹ Gee GC. A Multilevel analysis of the relationship between institutional and individual racial discrimination and health status. *Am J Public Health* 2002;**92**:615–23.
- ²⁰ Karlsen S, Nazroo JY. Relation between racial discrimination, social class, and health among ethnic minority groups. *Am J Public Health* 2002;**92**:624–31.
- ²¹ Mays VM, Coleman LM, Jackson JS. Perceived race-based discrimination, employment status, and job stress in a national sample of black women: implications for health outcomes. *J Occup Health Psychol* 1996;**1**:319–29.
- ²² Kessler RC, Mickelson KD, Williams DR. The prevalence, distribution, and mental health correlates of perceived discrimination in the United States. *J Health Soc Behav* 1999;**40**:208–30.
- ²³ Ren XS, Amick BC, Williams DR. Racial/ethnic disparities in health: the interplay between discrimination and socioeconomic status. *Ethn Dis* 1999;**9**:151–65.
- ²⁴ Jackson JS, Brown TN, Williams DR, Torres M, Sellers SL, Brown K. Racism and the physical and mental health status of African Americans: a thirteen year national panel study. *Ethn Dis* 1996;**6**:132–47.
- ²⁵ Bird ST, Bogart LM. Perceived race-based and socioeconomic status (SES)-based discrimination in interactions with health care providers. *Ethn Dis* 2001;**11**:554–63.
- ²⁶ La Veist TA, Sellers R, Neighbors HW. Perceived racism and self and system blame attribution: consequences for longevity. *Ethn Dis* 2001;**11**:711–21.
- ²⁷ Guyll M, Matthews KA, Bromberger JT. Discrimination and unfair treatment: relationship to cardiovascular reactivity among African American and European American women. *Health Psychol* 2001;**20**:315–25.
- ²⁸ Schulz AJ, Williams DR, Israel B *et al.* Unfair treatment, neighborhood effects, and mental health in the Detroit metropolitan area. *J Health Soc Behav* 2000;**41**:314–32.
- ²⁹ Williams DR, Yu Y, Jackson JS, Anderson NB. Racial differences in physical and mental health: socioeconomic status, stress, and discrimination. *J Health Psychol* 1997;**2**:335–51.
- ³⁰ Schulz A, Israel B, Williams DR, Parker E, Becker A, James S. Social inequalities, stressors and self reported health status among African American and white women in the Detroit metropolitan area. *Soc Sci Med* 2000;**51**:1639–53.
- ³¹ Werkuyten M, Nekuee S. Subjective well-being, discrimination and cultural conflict: Iranians living in the Netherlands. *Soc Indic Res* 1999;**47**:281–306.
- ³² Littleford LN, Wright MO. Health consequences of positive and negative interracial interactions at a predominately Caucasian Public University. *J Gender Culture Health* 1998;**3**:129–45.
- ³³ Fang CY, Myers HF. The effects of racial stressors and hostility on cardiovascular reactivity in African American and Caucasian men. *Health Psychol* 2001;**20**:64–70.
- ³⁴ McCord J, Ensminger ME. Multiple risks and comorbidity in an African-American population. *Crim Behav Ment Health* 1997;**7**:339–52.
- ³⁵ Liebkind K, Jasinskaja-Lahti I. The influence of experiences of discrimination on psychological stress: a comparison of seven immigrant groups. *J Community Appl Soc Psychol* 2000;**10**:1–16.
- ³⁶ Klonoff EA, Landrine H, Ullman JB. Racial discrimination and psychiatric symptoms among blacks. *Cultur Divers Ethnic Minor Psychol* 1999;**5**:329–39.
- ³⁷ Sanders-Thompson VL. Perceived experiences of racism as stressful life events. *Community Ment Health J* 1996;**32**:223–33.
- ³⁸ Schneider KT, Hitlan RT, Radhakrishnan P. An examination of the nature and correlates of ethnic harassment experiences in multiple contexts. *J Appl Psychol* 2000;**85**:3–12.
- ³⁹ Murrell NL. Stress, self-esteem, and racism: relationships with low birth weight and preterm delivery in African American women. *J Natl Black Nurses Assoc* 1996;**8**:45–53.
- ⁴⁰ Jackson JS, Inglehart MR. Reverberation theory: Stress and racism in hierarchically structured communities. In: Hobfoll SE, deVries MW (eds). *Extreme Stress and Communities: Impact and*

- Intervention*. Dordrecht, Netherlands: Kluwer Academic Publishers, 1995, pp. 353–73.
- 41 Tull ES, Chambers EC. Internalized racism is associated with glucose intolerance among black Americans in the US Virgin Islands. *Diabetes Care* 2001;**24**:1498.
 - 42 Fisher CB, Wallace SA, Fenton RE. Discrimination distress during adolescence. *J Youth Adolesc* 2000;**29**:679–95.
 - 43 Tull ES, Wickramasuriya T, Taylor J *et al*. Relationship of internalized racism to abdominal obesity and blood pressure in Afro-Caribbean women. *J Natl Med Assoc* 1999;**91**:447–52.
 - 44 Fischer AR, Shaw CM. African Americans' mental health and perceptions of racist discrimination: The moderating effects of racial socialization experiences and self-esteem. *J Community Psychol* 1999;**46**:395–407.
 - 45 Landrine H, Klonoff EA. The schedule of racist events: a measure of discrimination and a study of its negative physical and mental health consequences. *J Black Psychol* 1996;**22**:144–68.
 - 46 Rumbaut R. The crucible within: ethnic identity, self-esteem, and segmented assimilation among children of immigrants. *Int Migr Rev* 1994;**28**:748–94.
 - 47 Armstead CA, Lawler KA, Gordon G, Cross J, Gibbons J. Relationship of racial stressors to blood pressure responses and anger expression in black college students. *Health Psychol* 1989;**8**:541–56.
 - 48 Dion KL, Dion KK, Pak AW. Personality-based hardiness as a buffer for discrimination-related stress in members of Toronto's Chinese community. *Can J Behav Sci* 1992;**24**:517–36.
 - 49 Gary L. African American men's perception of racial discrimination: a sociocultural analysis. *Soc Work Res* 1995;**19**:207–17.
 - 50 Finch BK, Hummer RA, Kolody B, Vega WA. The role of discrimination and acculturative stress in the physical health of Mexican-origin adults. *Hisp J Behav Sci* 2001;**23**:399–429.
 - 51 Broman CL, Mavaddat R, Hsu S. The experience and consequences of perceived racial discrimination: A study of African Americans. *J Black Psychol* 2000;**26**:165–80.
 - 52 Utsey SO, Payne YA, Jackson ES, Jones AM. Race-related stress, quality of life indicators, and life satisfaction among elderly African Americans. *Cultur Divers Ethnic Minor Psychol* 2002;**8**:224–33.
 - 53 Broman CL. Race-related factors and life satisfaction among African Americans. *J Black Psychol* 1997;**23**:36–49.
 - 54 Jones DR, Harrell JP, Morris-Prather CE, Thomas J, Omowale N. Affective and physiological responses to racism: the roles of Afrocentrism and mode of presentation. *Ethn Dis* 1996;**6**:109–22.
 - 55 Salgado de Synder VN. Factors associated with acculturative stress and depressive symptomatology. *Psychol Women Q* 1987;**11**:475–88.
 - 56 Amaro H, Russo NF, Johnson J. Family and work predictors of psychological well-being among Hispanic women professionals. *Psychol Women Q* 1987;**11**:505–21.
 - 57 Janssen I, Hanssen M, Bak M *et al*. Discrimination and delusional ideation. *Br J Psychiatry* 2003;**182**:71–76.
 - 58 James SA, LaCroix AZ, Kleinbaum DG, Strogatz DS. John Henryism and blood pressure differences among black men. II. The role of occupational stressors. *J Behav Med* 1984;**7**:259–75.
 - 59 Rosenberg L, Palmer JR, Wise LA, Horton NJ, Corwin MJ. Perceptions of racial discrimination and the risk of preterm birth. *Epidemiology* 2002;**13**:646–52.
 - 60 Whitbeck LB, Hoyt DR, McMorris BJ, Chen XJ, Stubben JD. Perceived discrimination and early substance abuse among American Indian children. *J Health Soc Behav* 2001;**42**:405–24.
 - 61 Noh S, Kaspar V. Perceived discrimination and depression: moderating effects of coping, acculturation, and ethnic support. *Am J Public Health* 2003;**93**:232–38.
 - 62 Broman CL. The health consequences of racial discrimination: a study of African Americans. *Ethn Dis* 1996;**6**:148–52.
 - 63 Auslander WF, Thompson SJ, Dreitzer D, Santiago JV. Mother's satisfaction with medical care: perceptions of racism, family stress, and medical outcomes in children with diabetes. *Health Soc Work* 1997;**22**:190–99.
 - 64 Clark R. The perceptions of interethnic group racism predict increased vascular reactivity to a laboratory challenge in college women. *Ann Behav Med* 2000;**22**:214–22.
 - 65 Noh S, Beiser M, Kaspar V, Hou F, Rummens J. Perceived racial discrimination, depression, and coping: a study of Southeast Asian refugees in Canada. *J Health Soc Behav* 1999;**40**:193–207.
 - 66 La Veist TA, Nickerson KJ, Bowie JV. Attitudes about racism, medial mistrust, and satisfaction with care among African-American and White cardiac patients. *Med Care Res Rev* 2000;**57**(suppl 1):146–61.
 - 67 Whitbeck LB, McMorris BJ, Hoyt DR, Stubben JD, LaFromboise T. Perceived discrimination, traditional practices, and depressive symptoms among American Indians in the upper Midwest. *J Health Soc Behav* 2002;**43**:400–18.
 - 68 Steffen PR, McNeilly M, Anderson N, Sherwood A. Effects of perceived racism and anger inhibition on ambulatory blood pressure in African Americans. *Psychosom Med* 2003;**65**:746–50.
 - 69 Din-Dzietham R, Nembhard WN, Collins R, Davis SK. Perceived stress following race-based discrimination at work is associated with hypertension in African-Americans. The metro Atlanta heart disease study, 1999–2001. *Soc Sci Med* 2004;**58**:449–61.
 - 70 Mossakowski KN. Coping with perceived discrimination: does ethnic identity protect mental health? *J Health Soc Behav* 2003;**44**:318–31.
 - 71 Martin JK, Tuch SA, Roman PM. Problem drinking patterns among African Americans: the impacts of reports of discrimination, perceptions of prejudice, and "risky" coping strategies. *J Health Soc Behav* 2003;**44**:408–25.
 - 72 Sellers R, Caldwell CH, Schmeelk-Cone KH, Zinnerman MA. Racial identity, racial discrimination, perceived stress, and psychological distress among African American young adults. *J Health Soc Behav* 2003;**44**:302–17.
 - 73 Ryff CD, Keyes CLM, Hughes DL. Status inequalities, perceived discrimination, and eudaimonic well-being: Do the challenges of minority life hone purpose and growth? *J Health Soc Behav* 2003;**44**:275–91.
 - 74 Forman TA. The social psychological costs of racial segmentation in the workplace: a study of African Americans' well-being. *J Health Soc Behav* 2003;**44**:332–52.
 - 75 Brown TN, Williams DR, Jackson JS. Being black and feeling blue: the mental health consequences of racial discrimination. *Race Soc* 2000;**2**:117–31.
 - 76 Collins JW, David R, Symons R, Handler A, Wall S, Dwyer L. Low income African American mothers' perception of exposure to racial discrimination and infant birth weight. *Epidemiology* 2000;**11**:337–39.
 - 77 Finch BK, Kolody B, Vega WA. Perceived discrimination and depression among Mexican-origin adults in California. *J Health Soc Behav* 2000;**41**:295–313.
 - 78 Guthrie BJ, Young AM, Williams DR, Boyd CJ, Kintner ER. African American girls' smoking habits and day-to-day experiences with racial discrimination. *Nurs Res* 2002;**51**:183–89.
 - 79 Murry VM, Brown PA, Brody GH, Cutrona CE, Simons RL. Racial discrimination as a moderator of the links among stress, maternal psychological functioning, and family relationships. *J Marriage Fam* 2001;**63**:915–26.
 - 80 Poston WSC, Pavlik VN, Hyman DJ *et al*. Genetic bottlenecks, perceived racism, and hypertension risk among African Americans and first-generation African immigrants. *J Hum Hypertens* 2001;**15**:341–51.

- ⁸¹ Utsey SO, Payne YA. Psychological impacts of racism in a clinical versus normal sample of African American men. *J Afr Am Men* 2000;**5**:57–72.
- ⁸² Troxel WM, Matthews KA, Bromberger IT, Sutton-Tyrrell K. Chronic stress burden, discrimination, and subclinical cardiovascular disease in African American and Caucasian women. *Health Psychol* 2003;**22**:300–09.
- ⁸³ Stancil TR, Hertz-Picciotto I, Schramm M, Watt-Morse M. Stress and pregnancy among African-American women. *Paediatr Perinat Epidemiol* 2000;**14**:127–35.
- ⁸⁴ Dole N, Savitz DA, Hertz-Picciotto I, Siega-Riz AM, McMahon MJ, Buekens P. Maternal stress and preterm birth. *Am J Epidemiol* 2003;**157**:14–24.
- ⁸⁵ Finch BK, Vega WA. Acculturation stress, social support, and self-rated health among Latinos in California. *J Immigr Health* 2003;**5**:109–17.
- ⁸⁶ Iyer DS, Haslam N. Body image and eating disturbance among south Asian-American women: the role of racial teasing. *Int J Eat Disord* 2003;**34**:142–47.
- ⁸⁷ Clark R. Self-reported racism and social support predict blood pressure reactivity in blacks. *Ann Behav Med* 2003;**25**:127–36.
- ⁸⁸ Nyborg VM, Curry JF. The impact of perceived racism: psychological symptoms among African American boys. *J Clin Child Adolesc Psychol* 2003;**32**:258–66.
- ⁸⁹ Pavalko EK, Mossakowski KN, Hamilton VJ. Does perceived discrimination affect health? Longitudinal relationships between work discrimination and women's physical and emotional health. *J Health Soc Behav* 2003;**44**:18–33.
- ⁹⁰ Barry DT, Grilo CM. Cultural, self-esteem, and demographic correlates of perception of personal and group discrimination among East Asian immigrants. *Am J Orthopsychiatry* 2003;**73**:223–29.
- ⁹¹ Kwate NOA, Valdimarsdottir HB, Guevarra JS, Bovbjerg DH. Experiences of racist events are associated with negative health consequences for African American women. *J Natl Med Assoc* 2003;**95**:450–60.
- ⁹² Sellers RM, Shelton JN. The role of racial identity in perceived racial discrimination. *J Pers Soc Psychol* 2003;**84**:1079–92.
- ⁹³ Bowen-Reid TL, Harrell JP. Racist experiences and health outcomes: an examination of spirituality as a buffer. *J Black Psychol* 2002;**28**:18–36.
- ⁹⁴ Taylor J, Jackson B. Factors affecting alcohol consumption in black women: Part II. *Int J Addict* 1990;**25**:1415–27.
- ⁹⁵ Taylor J, Jackson B. Factors affecting alcohol consumption in black women. Part I. *Int J Addict* 1990;**25**:1287–300.
- ⁹⁶ Shiono PH, Rauh VA, Park M, Lederman SA, Zuskar D. Ethnic differences in birthweight: the role of lifestyle and other factors. *Am J Public Health* 1997;**87**:787–93.
- ⁹⁷ McNeilly MD, Robinson EL, Anderson NB, Pieper CF, Toth PS, Martin P. Effects of racist provocation and social support on cardiovascular reactivity in African American women. *Int J Behav Med* 1995;**2**:321–38.
- ⁹⁸ Landrine H, Klonoff EA. Racial discrimination and cigarette smoking among blacks: findings from two studies. *Ethn Dis* 2000;**10**:195–202.
- ⁹⁹ Stuber J, Galea S, Ahern J, Blaney S, Fuller C. The association between multiple domains of discrimination and self assessed health: a multilevel analysis of Latinos and Blacks in four low-income New York City neighborhoods. *Health Serv Rep* 2003;**38**:1735–59.
- ¹⁰⁰ Szalacha LA, Erkut S, Garcia Coll C, Alarcon O, Fields JP, Ceder I. Discrimination and Puerto Rican children's and adolescents' mental health. *Cultur Divers Ethnic Minor Psychol* 2003;**9**:141–55.
- ¹⁰¹ Morgan LM, Beale RL, Mattis JS, Stovall EL, White DL. The combined impact of racism at work, non-racial work stress, and financial stress on Black women's psychological well-being. *African American Research Perspectives* 2000;**6** (<http://www.rcgd.isr.umich.edu/prba/perspectives/winter2000/lmorgan.pdf>).
- ¹⁰² Karlsen S, Nazroo J. Agency and structure: the impact of ethnic identity and racism on the health of ethnic minority people. *Sociol Health Illn* 2002;**24**:1–20.
- ¹⁰³ Cassidy C, O'Conner RC, Howe C, Warden D. Perceived discrimination and psychological distress: the role of personal and ethnic self-esteem. *J Couns Psychol* 2004;**51**:329–39.
- ¹⁰⁴ Gibbons FX, Gerrard M, Cleveland MJ, Wills TA, Brody G. Perceived discrimination and substance use in African American parents and their children: a panel study. *J Pers Soc Psychol* 2004;**86**:517–29.
- ¹⁰⁵ Utsey SO, Chae MH, Brown CF, Kelly D. Effect of ethnic group membership on ethnic identity, race-related stress, and quality of life. *Cultur Divers Ethnic Minor Psychol* 2002;**8**:366–77.
- ¹⁰⁶ Boardman JD. Health pessimism among black and white adults: the role of interpersonal and institutional maltreatment. *Soc Sci Med* 2004;**59**:2523–33.
- ¹⁰⁷ Moradi B, Hasan NT. Arab American persons' reported experiences of discrimination and mental health: the mediating role of personal control. *J Couns Psychol* 2004;**51**:418–28.
- ¹⁰⁸ Valentine S, Silver L, Twigg N. Locus of control, job satisfaction and job complexity: the role of perceived race discrimination. *Psychol Rep* 1999;**84**:1267–73.
- ¹⁰⁹ Collins JW, David RJ, Handler A, Wall S, Andes S. Very low birthweight in African American infants: the role of maternal exposure to interpersonal racial discrimination. *Am J Public Health* 2004;**94**:2132–38.
- ¹¹⁰ Mustillo S, Krieger N, Gunderson EP, Sidney S, McCreath H, Kiefe CI. Self-reported experiences of racial discrimination and black-white differences in preterm and low-birthweight deliveries: the CARDIA Study. *Am J Public Health* 2004;**94**:2125–31.
- ¹¹¹ Caughy MO, O'campo PJ, Muntaner C. Experiences of racism among African American parents and the mental health of their preschool-aged children. *Am J Public Health* 2004;**94**:2118–24.
- ¹¹² Peters RM. Racism and hypertension among African Americans. *West J Nurs Res* 2004;**26**:612–31.
- ¹¹³ Manuel RC. Perceived race discrimination moderates dietary beliefs' effects on dietary intake. *Ethn Dis* 2004;**14**:405–16.
- ¹¹⁴ Dole N, Savitz DA, Siega-Riz AM, Hertz-Picciotto I, McMahon MJ, Buekens P. Psychosocial factors and preterm birth among African American and White women in central North Carolina. *Am J Public Health* 2004;**94**:1358–65.
- ¹¹⁵ Barnes LL, Mendes De Leon CF, Wilson RS, Bienias JL, Bennett DA, Evans DA. Racial differences in perceived discrimination in a community population of older blacks and whites. *J Aging Health* 2004;**16**:315–37.
- ¹¹⁶ Lespinasse AA, David RJ, Collins JW, Handler AS, Wall SN. Maternal support in the delivery room and birthweight among African-American women. *J Natl Med Assoc* 2004;**96**:187–95.
- ¹¹⁷ Chambers EC, Tull ES, Fraser HS, Mutunhu NR, Sobers N, Niles E. The relationship of internalized racism to body fat distribution and insulin resistance among African adolescent youth. *J Natl Med Assoc* 2004;**96**:1594–98.
- ¹¹⁸ Whitbeck LB, Chen X, Hoyt DR, Adams JP. Discrimination, historical loss and enculturation: culturally specific risk and resiliency factors for alcohol abuse among American Indians. *J Stud Alcohol* 2004;**65**:409–18.
- ¹¹⁹ Franzini L, Fernandez-Esquer ME. Socioeconomic, cultural, and personal influences on health outcomes in low income Mexican-origin individuals in Texas. *Soc Sci Med* 2004;**59**:1629–46.
- ¹²⁰ Simons RL, Murry V, McLoyd V, Lin KH, Cutrona C, Conger RD. Discrimination, crime, ethnic identity, and parenting as correlates of depressive symptoms among African American children: a multi-level analysis. *Dev Psychopathol* 2002;**14**:371–93.

- 121 Pernice R, Brook J. Refugees' and immigrants' mental health: association of demographic and post-migration factors. *J Soc Psychol* 1996;**36**:511-19.
- 122 Verkuyten M. Perceived discrimination and self-esteem among ethnic minority adolescents. *J Soc Psychol* 1998;**138**:479-93.
- 123 Taylor J, Turner RJ. Perceived discrimination, social stress, and depression in the transition to adulthood: racial contrasts. *Soc Psychol Q* 2002;**65**:213-25.
- 124 Blankenau J, Boye-Beaman J, Mueller K. Health-care utilization and the status of Latinos in rural meat-processing communities. *Great Plains Res* 2000;**10**:275-94.
- 125 Loo CM, Fairbank JA, Scurfield RM *et al*. Measuring exposure to racism: development and validation of a Race-Related Stressor Scale (RRSS) for Asian American Vietnam veterans. *Psychol Assess* 2001;**13**:503-20.
- 126 Taylor J, Jackson BB. Evaluation of a holistic model of mental health symptoms in African American women. *J Black Psychol* 1991;**18**:19-45.
- 127 James K, Lovato JK, Khoo G. Social identity correlates of minority workers' health. *Acad Manage J* 1994;**37**:383-96.
- 128 Phinney JS, Madden T, Santos LJ. Psychological variables as predictors of perceived ethnic discrimination among minority and immigrant adolescents. *J Appl Soc Psychol* 1998;**28**:937-53.
- 129 Striegel-Moore RH, Dohm FA, Pike KM, Wilfrey DE, Fairburn CG. Abuse, bullying, and discrimination as risk factors for binge eating disorder. *Am J Psychiatry* 2002;**159**:1902-07.
- 130 Bird ST, Bogart LM, Delhanty DL. Health-related correlates of perceived discrimination in HIV care. *AIDS Patient Care STDS* 2004;**18**:19-26.
- 131 Brown TN, Sellers SL, Gomez JP. The relationship between internalization and self-esteem among black adults. *Sociol Focus* 2002;**35**:55-71.
- 132 Tomes E, Brown A, Semanya K, Simpson J. Depression in black women of low socioeconomic status: psychological factors and nursing diagnosis. *J Natl Black Nurses Assoc* 1990;**4**:37-46.
- 133 Myers LJ, Stokes DR, Speight SL. Physiological responses to anxiety and stress: Reactions to oppression, galvanic skin potential, and heart rate. *J Black Stud* 1989;**20**:80-96.
- 134 Contrada RJ, Ashmore RD, Gary ML. Measures of ethnicity-related stress: Psychometric properties, ethnic group differences, and associations with well-being. *J Appl Soc Psychol* 2001;**31**:1775-820.
- 135 Bulter C, Tull ES, Chambers EC, Taylor J. Internalized racism, body fat distribution, and abnormal fasting glucose among African-Caribbean women in Dominica, West Indies. *J Natl Med Assoc* 2002;**94**:143-48.
- 136 Holder JC, Vaux A. African American professionals: coping with occupational stress in predominantly white work environments. *J Vocat Behav* 1998;**53**:315-33.
- 137 Resnicow K, Soler RE, Braithwaite RIL, Selassie MB, Smith M. Development of a racial and ethnic identity scale for African American adolescents: the survey of Black life. *J Black Psychol* 1999;**25**:171-88.
- 138 Koomen W, Frankel EG. Effects of experienced discrimination and different forms of relative deprivation among Surinamese, a Dutch ethnic minority group. *J Community Appl Soc Psychol* 1992;**2**:63-71.
- 139 Morris-Prather CE, Harrell JP, Collins R, Leonard KL, Boss M, Lee JW. Gender differences in mood and cardiovascular responses to socially stressful stimuli. *Ethn Dis* 1996;**6**:123-31.
- 140 Bennett GG, Merritt MM, Edwards CL, Sollers JJ. Perceived racism and affective responses to ambiguous interpersonal interactions among African American Men. *Am Behav Sci* 2004;**47**:963-76.
- 141 Yoshikawa H, Wilson PA, Chae DH, Cheng JF. Do family and friendship networks protect against the influence of discrimination on mental health and HIV risk among Asian and Pacific Islander gay men? *AIDS Educ Prev* 2004;**16**:84-100.
- 142 Clark R, Adams JH. Moderating effects of perceived racism on John Henryism and blood pressure reactivity in black female college students. *Ann Behav Med* 2004;**28**:126-31.
- 143 Roberts RK, Swanson NG, Murphy LR. Discrimination and occupational mental health. *J Mental Health* 2004;**13**:129-42.
- 144 Wiking E, Johansson SE, Sundquist J. Ethnicity, acculturation, and self reported health: A population based study among immigrants from Poland, Turkey, and Iran in Sweden. *J Epidemiol Community Health* 2004;**58**:574-82.
- 145 Casey S, O'Connell M. Pain and prejudice: assessing the experience of racism in Ireland. In: MacLachlan M, O'Connell M (eds). *Cultivating Pluralism: Psychological, Social and Cultural Perspectives on a Changing Ireland*. Dublin: Oak Tree Press, 2000.
- 146 Caputo RK. The effects of socioeconomic status, perceived discrimination and mastery on health status in a youth cohort. *Soc Work Health Care* 2003;**37**:17-42.
- 147 Krieger N, Williams DR, Moss NE. Measuring social class in US public health research: Concepts, methodologies, and guidelines. *Annu Rev Public Health* 1997;**18**:341-78.
- 148 Oakes JM, Rossi PH. The measurement of SES in health research: current practice and steps toward a new approach. *Soc Sci Med* 2003;**56**:769-84.
- 149 Essed P. *Understanding Everyday Racism: An Interdisciplinary Theory*. Newbury Park: Sage Publications 1991.
- 150 Neblett EW, Shelton JN, Sellers RM. The role of racial identity in managing daily racial hassles. In: Philogene G (ed.). *Race and Identity: The Legacy of Kenneth Clark*. Washington, D.C.: American Psychological Association Press, 2004.
- 151 Green NL. Development of the perceptions of racism scale. *Image J Nurs Sch* 1995;**27**:141-46.
- 152 Taylor J, Grundy C. Measuring black internalization of white stereotypes about African Americans: the Nadanolitization Scale. In: Jones RL (ed.). *Handbook of Tests and Measurements for Black Populations*. Hampton, VA: Cobb & Henry, 1996, pp. 217-26.
- 153 McNeilly MD, Anderson NB, Armstead CA *et al*. The perceived racism scale: a multidimensional assessment of the experience of white racism among African Americans. *Ethn Dis* 1996;**6**:154-66.
- 154 Utsey SO, Ponterotto JG. Development and validation of the index of race-related stress (IRRS). *J Couns Psychol* 1996;**43**:490-501.
- 155 Harrell SP. Development and initial validation of scales to measure racism-related stress. In *Proceedings of the Sixth Biennial Conference on Community Research and Action*. Columbia, SC: Society for Community Research and Action, 1997.
- 156 Clark R, Coleman AP, Novak JD. Brief report: Initial psychometric properties of the everyday discrimination scale in black adolescents. *J Adolesc* 2004;**27**:363-68.
- 157 Harrell SP. Psychometric properties of the Racism and Life Experiences Scales (RaLES). Chicago: Annual Convention of the American Psychological Association, 1997.
- 158 McNeilly MD, Anderson NB, Robinson EL, McManus CH, Armstead CA, Clark R. Convergent, discriminant, and concurrent validity of the perceived racism scale: a multidimensional assessment of the experience of racism among African Americans. In: Jones IRL (ed.). *Handbook of Tests and Measurements for Black Populations*. Hampton, VA: Cobb and Henry, 1996, pp. 359-73.
- 159 Brondolo E, Kelly KP, Coakley V *et al*. The Perceived Ethnic Discrimination Questionnaire: Development and Preliminary Validation of a Community Version. *J Appl Soc Psychol* 2005;**35**:335-65.
- 160 Clark R. Interethnic group and intraethnic group racism: perceptions and coping in black university students. *J Black Psychol* 2004;**30**:506-26.

- ¹⁶¹ Lynch J. Commentary: Psychosocial factors and health—strengthening the evidence base. *BMJ* 2002;**324**:1253.
- ¹⁶² Scott LD, House LE. Relationship of distress and perceived control to coping with perceived racial discrimination among black youth. *J Black Psychol* 2005;**31**:254–72.
- ¹⁶³ Clark R. Parental history of hypertension and coping responses predict blood pressure changes in black college volunteers undergoing a speaking task about perceptions of racism. *Psychosom Med* 2003;**65**:1012–19.
- ¹⁶⁴ Major B, Quinton WI, McCoy SK. Antecedents and consequences of attribution to discrimination: theoretical and empirical advances. *Advances in experimental social psychology* 2002;**34**:251–330.
- ¹⁶⁵ Blank RM, Dabady M, Citro CF (eds). *Measuring Racial Discrimination*. Washington, D.C.: National Academies Press, 2004.
- ¹⁶⁶ Gomez JP, Trierweiler SJ. Does discrimination terminology create response bias in questionnaire studies of discrimination? *Pers Soc Psychol Bull* 2001;**27**:630–38.
- ¹⁶⁷ Brown TN. Measuring self-perceived racial and ethnic discrimination in social surveys. *Sociol Spectr* 2001;**21**:377–92.
- ¹⁶⁸ Operario D, Fiske ST. Ethnic identity moderates perceptions of prejudice: judgments of personal versus group discrimination and subtle versus blatant bias. *Pers Soc Psychol Bull* 2001;**27**:550–61.
- ¹⁶⁹ Major B, Gramzow RH, McCoy SK, Levin S, Schmader T, Sidanius J. Perceiving personal discrimination: the role of group status and legitimizing ideology. *J Pers Soc Psychol* 2002;**82**:269–82.
- ¹⁷⁰ Branscombe NR, Schmitt MT, Harvey RD. Perceiving pervasive discrimination among African Americans: implications for group identification and well-being. *J Pers Soc Psychol* 1999;**77**:135–49.
- ¹⁷¹ Sechrist GB, Swim JK, Stangor C. When do the stigmatized make attributions to discrimination occurring to the self and others? The roles of self-presentation and need for control. *J Pers Soc Psychol* 2004;**87**:111–22.
- ¹⁷² Armstrong BK, White E, Saracci R. *Principles of Exposure Measurement in Epidemiology*. Oxford: Oxford University Press, 1992.
- ¹⁷³ Meyer IH. Prejudice as stress: conceptual and measurement problems. *Am J Public Health* 2003;**93**:262–65.
- ¹⁷⁴ Macleod J, Smith GD, Heslop P, Metcalfe C, Carroll D, Hart C. Psychological stress and cardiovascular disease: empirical demonstration of bias in a prospective observational study of Scottish men. *BMJ* 2002;**324**:1247–51.
- ¹⁷⁵ Harrell JP, Hall S, Taliaferro J. Physiological responses to racism and discrimination: an assessment of the evidence. *Am J Public Health* 2003;**93**:243–48.
- ¹⁷⁶ Theorell T. Editorial: Biological stress markers and misconceptions about them. *Stress Health* 2003;**19**:59–60.
- ¹⁷⁷ Lucas RM. *Socioeconomic status and health: exploring biological pathways*. PhD thesis. Canberra: Australian National University, 2003.
- ¹⁷⁸ Cohen S, Kessler RC, Gordon LU. *Measuring Stress: A Guide for Health and Social Scientists*. Oxford: Oxford University Press, 1997.
- ¹⁷⁹ Harrell SP. *The racism and life experiences scales (RaLES-Revised)*. 1997.
- ¹⁸⁰ Utsey SO. Development and validation of a short form of the index of race-related stress (IRRS)—brief version. *Meas Eval Couns Dev* 1999;**32**:149–67.